

TOUGHENING MECHANISMS IN A NATURAL COMPOSITE: A CROSSED-LAMELLAR STRUCTURE

H.M. Ji^{*1,2,3}, X.W. Li^{1,2}, D.L. Chen³

¹Department of Materials Physics and Chemistry, School of Material Science and Engineering, and ²Key Laboratory for Anisotropy and Texture of Materials, Ministry of Education, Northeastern University, Shenyang 110819, China

³Department of Mechanical and Industrial Engineering, Ryerson University, 350 Victoria Street, Toronto, Ontario M5B 2K3, Canada

Keywords: Crossed-lamellar structure, Natural composite, Microstructure, Toughening mechanisms

ABSTRACT

Living things in nature tend to evolve unique biological structures with special biological functions to survive and adapt to the surrounding environment [1]. The crossed-lamellar structure is the most widespread structure in mollusk shell, and more than 90% of the species in Mollusca contain this structure within their shells [2]. Another interesting phenomenon needs to be noted is that crossed-lamellar structure is a natural composite material containing ~99% CaCO₃ and only ~1% organic content [3]. The crossed-lamellar structure is a highly hierarchical structure, i.e., the macrolayer is stacked by the parallel 1st-order lamellae comprising the 2nd-order lamellae that consist further of the 3rd-order lamellae. Based on examinations on various species of shells, it was revealed that the crossed-lamellar structure can be further divided into to platelet-like and fiber-like structures with respected to the shapes of the basic building blocks [4], as shown in Figure 1. For the platelet-like crossed-lamellar structure, the 1st-order lamellae are roughly parallel to each other, but the 2nd-order lamellae inside a single 1st-order lamella show a mountain ridge-like feature. The orientation of platelets in the adjacent blocks is perpendicular to each other. For fiber-like crossed-lamellar structure, the 3rd-order lamellae are stacked parallel to each other inside each 2nd-order lath-like lamella, which is further arranged in row to form the sheet-like 1st-order lamellae. The fibers inside each 1st-order lamella are almost perpendicular to the ones contained in the neighboring 1st-order lamellae.




Figure 1: Two types of crossed-lamellar structures – platelet-like and fiber-like crossed-lamellar structures.

The complicated arrangement of the crossed-lamellar structures provides abundant interfaces, which can present several toughening mechanisms, as summarized in Figure 2. For example, in the

indentation tests, there is a lot of microcracking and uncracked ligament bridging existing around the indentation. In the fiber-like crossed-lamellar structure, some fiber bridging along with the crack path can also be found. For shells with more than one crossed-lamellar layers, the interfaces between the macrolayers can effectively arrest the crack propagation. Furthermore, the crack deflection is another commonly-observed phenomenon, which can induce step-like cracking in the crossed-lamellar structure. In a stepwise compressive test, it was also found that the lamella between two channel cracks shows a convex morphology. All the mechanisms can effectively absorb the fracture energy, thus resulting in a higher fracture toughness. The identification of these key toughening mechanisms would serve as guidelines for the design of advanced bio-inspired composite materials for the high-performance structural applications due to a better understanding of the deformation behavior and toughening mechanisms of these attractive natural composites.




Figure 2: A variety of toughening mechanisms identified in the crossed-lamellar structures.

REFERENCES

- [1] B. Bhushan, *Biomimetics: bioinspired hierarchical-structured surfaces for green science and technology*, Springer International Publishing, Switzerland, 2016.
- [2] I. Almagro, P. Drzymała, K. Berent, C.I. Sainz-Diaz, M.G. Willinger, J. Bonarski, A.G. Checa-González, New crystallographic relationships in biogenic aragonite: the crossed-lamellar microstructures of mollusks, *Cryst. Growth Des.*, **16**, 2016, pp. 2083-2093.
- [3] A.B. Rodriguez-Navarro, A. Checa, M.G. Willinger, R. Bolmaro, J. Bonarski, Crystallographic relationships in the crossed lamellar microstructure of the shell of the gastropod *Conus marmoreus*, *Acta Biomater.*, **8**, 2012, pp. 830-835.
- [4] H.M. Ji, X.W. Li, D.L. Chen, *Cymbiola nobilis* shell: Toughening mechanisms in a crossed-lamellar structure, *Sci. Rep.*, **7**, 2017, 40043.